

Euro Grade 0015K Freestanding Safe with Key Lock



0015K

- £6,000 overnight cash cover (£60,000 valuables)**
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 0
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions - Bolts supplied

Specification

SKU	SFEG0015CFK Independently Tested and Certified
Certificate	£6,000 Light Fire Protection 17 litres 1 334 * 275 *
Cash Rating	180mm 395 * 325 * 300mm 3/4 Wheel Mechanical
Fire Rating	Combination, Wittkopp Primor
Volume	2600
Shelves	
Internal Dimensions (H*W*D)	
External Dimensions (H*W*D)	
Locking Options	

Euro Grade 0025K Freestanding Safe with Key Lock



0025K

- £6,000 overnight cash cover (£60,000 valuables)**
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 0
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions - Bolts supplied

Specification

SKU	SFEG0025CFK Independently Tested and
Certificate	Certified £6,000 Light Fire Protection 27 litres 1
Cash Rating	334 * 355 * 225mm 395 * 405 * 345mm 3/4
Fire Rating	Wheel Mechanical Combination, La Gard 702
Volume	Electronic, Safe Logic C10, Safe Logic Direct
Shelves	Drive, Wittkopp Primor 2600
Internal Dimensions (H*W*D)	
External Dimensions (H*W*D)	
Locking Options	

Euro Grade 0035K Freestanding Safe with Key Lock



0035K

- £6,000 overnight cash cover (£60,000 valuables)**
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 0
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions - Bolts supplied

Specification

SKU	SFEG0035CFK Independently Tested and
Certificate	Certified £6,000 Light Fire Protection 36 litres 1
Cash Rating	334 * 355 * 305mm 395 * 405 * 425mm 3/4
Fire Rating	Wheel Mechanical Combination, La Gard 702
Volume	Electronic, Safe Logic C10, Safe Logic Direct
Shelves	Drive, Wittkopp Primor 2600
Internal Dimensions (H*W*D)	
External Dimensions (H*W*D)	
Locking Options	

Euro Grade 0055K Freestanding Safe with Key Lock



0055K

- £6,000 overnight cash cover (£60,000 valuables)**
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 0
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions - Bolts supplied

Specification

SKU	SFEG0055CFK Independently Tested and
Certificate	Certified £6,000 Light Fire Protection 55 litres 1
Cash Rating	509 * 355 * 305mm 570 * 405 * 425mm 3/4
Fire Rating	Wheel Mechanical Combination, La Gard 702
Volume	Electronic, Safe Logic C10, Safe Logic Direct
Shelves	Drive, Wittkopp Primor 2600
Internal Dimensions (H*W*D)	
External Dimensions (H*W*D)	
Locking Options	

Euro Grade 0085K Freestanding Safe with Key Lock



0085K

- £6,000 overnight cash cover (£60,000 valuables)**
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 0
- 3-way square locking boltwork, with continuous hinge side protection
- Door opens to 205 degrees for maximum access
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions - Bolts supplied

Specification

SKU	SFEG0085CFK Independently Tested and
Certificate	Certified £6,000 Light Fire Protection 87 litres 1
Cash Rating	509 * 455 * 375mm 570 * 505 * 495mm 3/4
Fire Rating	Wheel Mechanical Combination, La Gard 702
Volume	Electronic, Safe Logic C10, Safe Logic Direct
Shelves	Drive, Wittkopp Primor 2600
Internal Dimensions (H*W*D)	
External Dimensions (H*W*D)	
Locking Options	